

Updated: March 23, 2000

Adamus, P.R., 1988, Criterial for created or restored wetlands. In: The Ecology and Mgmt of wetlands Volume 2, D.D. Hooke, W.H. Mckee Jr., H.K.Smith et. al. (Eds.), Timber Press , Portland, OR.

Adcock, P.W., Ryan, G.L., Osborn, P.L., 1995, Nutrient partitioning in a clay-based surface flow wetland. Water Science and Technology 32:3

Altman, S.J., Parizek, R.R., 1995, Dilution of non-point source nitrate in groundwater. Journal of Environmental Quality 24:4 Jul-Aug.

Alvord, H.H., Kadlec, R.H., 1995, The interaction of atrazine with wetland sorbents. Ecological Engineering 5:4 Dec.

Anderson G.R., 1983, Design and location of water improvement structures. In: Water Impoundments for wildlife:A habitat workshop. U.S. Dept. of Agric. Forest Service General Tech. Report NC-10.

Anon, 1991, Nutrient and Sediment control system (Draft Interim Standard and Specification) code I-OS. USDA-SCS, Orono, ME.

Anon, 1985, Mechanisms controlling phosphorous retention capacity in freshwater wetlands. Science Vol 228: 1424-1426.

Ansola, G., Fernandez, C., Deluis, E., 1995, Removal of organic nutrients from urban wastewater by using an experimental emergent aquatic macrophyte system. Ecological Engineering 5:1 Oct.

Bayley, S.E., et al., 1986, Retention and release of S from a freshwater wetland. Water Air and

Barks, J., Smart, R., 1980, Mobilization of sediment P by submerged macrophytes. Freshwater Biology 10:229-238.

Becker, H., 1993, Constructed wetlands cleanup: They could be inexpensive, low tech cure for farm pollution. Agric. Res. Service, USDA Dec93 p20.

Belt, G.H., et al, 1992, Design of forest riparian buffer strips for protection of water quality: analysis of scientific literature. Report: Idaho Forest Wildlife and Range Policy Analysis Group no.8 p.35.

Berezowsky, M. 1997. Constructed Wetlands for Remediation of Urban Waste Waters. In Eyles, N. (Ed.). Environmental Geology of Urban Areas. Geological Association of Canada. 203-213.

Biesbier, D.D., 1984, Nitrogen fixation with natural and cultivated stands of *Typha Latifolia*. American Journal of Botany v71(4) 505-511.

Blowers, S.W., et al., 1994, Removal of agricultural nitrate from tile drainage effluent water using in-line bio reactors. Journal of Contaminant Hydrology v15 no.3 Feb 207-221.

Bohlke, J.K., Denver, J.M., 1995, Combined use of groundwater dating, chemical, and isotopic analyses to resolve the history and fate of nitrate contamination in two agricultural watersheds, Atlantic coastal plain, Maryland. *Water Resources Research* 31:9 Sep.

Bonta, J.V., 1994, Seasonal Distr. of peak flows from small agric. watersheds. *Journal of Irrigation and Drainage Engineering*. v 120 #2 Mar/April pp.422-439.

Boon, P.J., Calow, P., and Petts G.E. (eds), 1992, *River Conservation and Management* (textbook). pp.293-309.

Bowner, K.H., 1987. Nutrient removal from effluents by and artificial wetland: influence of rhizosphere aeration and preferential flow studied using bromide and dye tracers. *Water Resources Research* 26:591-599.

Brenner, F.J., Mondok, J.J., 1995, Nonpoint source pollution potential in an agricultural watershed in northwestern Pennsylvania. *Water Resources Bulletin* 31:6 Dec.

Brown, R.G. 1985. Effects of an urban wetland on sediment and nutrient loads in runoff. In *Wetlands*. 4: 147-158.

Brueske, C.C., Barrett, G.W., 1994, Effects of vegetation and hydrologic load on sedimentation patterns in experimental wetland ecosystems. *Ecological Engineering* v3 p. 429-447.

Chambers, J.M., et.al., 1993, The potential use of wetlands to reduce phosphorous export from agricultural catchments. *Fertilizer Research* Vol. 36(2): 157-164.

Chen, C.S., Zoltek, J., 1995, Organic priority pollutants in wetland-treated leachates at a landfill in central Florida. *Chemosphere* 31:6 Sep.

Chen, S., 1992, A modified procedure for design of constructed wetlands. *American Soc. Agric. Eng. Winter92* (92-4527) 19p.

Chescheir, G.M., 1992, Evaluation of wetland buffer areas for treatment of pumped agric. drainage water. *Trans. American Soc. Agric. Eng.* 35:175.

Childers, D.L., Gosselink, J.G., 1990, Assessment of cumulative impacts to water quality in a forested wetland landscape. *Journal of Environmental Quality* Jul/Sep v19(3) 445-464.

Chung, K.H., Ro, K.S., Roy, D., 1996, Fate and enhancement of atrazine biotransformation in anaerobic wetlands sediment. *Water Research* 30:2 Feb.

Cooper, J.R., et al., 1987, Riparian areas as filters for agricultural sediment. *Soil Science society of America Journal* 51(2)416-420.

- Cooper, J.R., Gilliam, J.W., 1987, Phosphorous redistribution from cultivated fields to riparian areas. Soil Science Society of America Journal 51(6):1600-1604.
- Cooper, M., 1990, Nutrient Trap efficiency of small sediment detention reservoir. Agriculture under Management 18(1990) 149-158.
- Cooper, M., 1993, Biological effects of agriculturally derived surface water pollutants on aquatic systems- A review. Journal of Environmental Quality v22 Jul.Sep.
- Cooper J.R., Gilliam, J.W., Jacobs, T.C., 1986, Riparian areas as control of NPS pollution. In D.L. Cprrell (Ed), Watershed Research Perspectives. Smithsonian Institution Press, Washington D.C. pp 166-192.
- Davis, W.J., 1978, Sediment Basin Trap efficiency study, Montgomery County, Maryland. Americal Soc. Agric Eng. paper 78- 2564 St Joseph, MI.
- DeBusk, F.A., 1992, Constructed wetlands for water quality Improvements. Agronomy Abstracts, Madison WI.p.37.
- Deiter, C.D., Duffy, W.G., Flake, L.D., 1996, The effect of phorate on wetland macroinvertebrates. Environmental Toxicology and Chemistry 15:3 Mar.
- Dendy, F.E., 1984, Sediment Trap efficiency in small reservoirs, Journal Soil Water Conservation 39:278-280
- Devito, K.J., 1995, Sulfate mass balances of Precambrian Shield wetlands: The influence of catchment hydrogeology. Canadian Journal of Fisheries and Aquatic Sciences 52:8 Aug.
- Dorioz, J.M., Ferhi, A., 1994, Non-point pollution and management of agricultural areas: phosphorus and nitrogen transfer in agricultural watersheds. Water Research v28 no.2 Feb p.395-410.
- Dortch, M.S., 1992, Literature analysis adresses the functional ability of wetlands to improve water quality. Wetlands Research Program Bulletin v2 no.4 pl-4 Dec.
- Dunbabin, J.S., and K.H. Bowmer, 1992, Potential use of constructed wetlands for treatment of industrial wastewaters containing metals. The science of the total environment, Vol 111:151-168.
- Duncan, C.P., Groffman, P.M., 1994, Comparing microbial parameters in actual and constructed wetlands. Journal of Wnvironmental Quality v23 Mar/Apr 298-305.
- Elder, J.F., 1988, Factors affecting wetland retention of nutrients, metals, and organics. p. 178-184. In: J.A. Kusler and G. Brooks (eds.), Proceedings fo the national wetland symposium: wetland hydrology, 16-18 Sept. 1987, Chicago, IL.

- Engel, S. 1985. Aquatic Community Interactions of Submerged Macrophytes. Tech. Bull. No. 156. Dept. of Natural Resources, Wisconsin. 79pp.
- EPA Constructed Wetlands Document, 1992, Entire issue, Ecological Engineering v1.
- Fail, J.L., et.al., 1987, Riparian forest communities and their role in nutrient conservation in an agricultural watershed. American Journal of Alternative Agriculture Vol 2: 114-121.
- Fail, J. L. Jr., Haines, B.L., Todd R.L., 1987, Riparian Forest communities and their role in nutrient conservation in an agricultural watershed. American Journal Alternative Agriculture 2(3):114-121.
- Fairchild, J.F., Boyle, T., Endlish, W.R., 1987, Effects of Sediments and contaminated sediments of structural and functional components of experimental stream ecosystems. Water, Air and Soil Pollution 36:271-293.
- Fawcett, Richard S., et.al., 1994, The impacts of conservation tillage on pesticide runoff into surface water: a review and analysis. Journal of Soil and Water Conservation 49(2): 126-135.
- Fennessy, M.S., et.al., 1994, Sediment deposition patterns in restored freshwater wetlands using sediment traps. Ecological Engineering Vol. 3:409-428.
- Fernandez, M., 1993, Hydrological and Chemical quality of water and bottom sediment at three stormwater detention ponds, Pinellas County, FL. USGS Report 92-4139.
- Fleischer, S., 1994, Nitrogen removal in created ponds. Ambio v23 #6 Sept94 p. 349-357.
- Forster, D.L., Abraham, G., 1985, Sediment deposition in drainage ditches: a cropland externality. Journal of Soil and Water Conservation v40 Jan/Feb 141-143.
- Galatowitsch, S.M., Vandervalk, A.G., 1996, The vegetation of restored and natural prairie wetlands. Ecological Applications 6:1 Feb.
- Garrison, P.J., 1993, Long term (15 yr) Results of NPS controls in agric. watershed. Water, Science and Tech. v28 #3-5 pp 441-449.
- Gehrels, J., Mulamooofil, G., 1989, The transformation and export of phosphorous from wetlands. Hydrological Processes v3(4) 365-370.
- Gersberg, R.M., B.V. Elkins, and C.R. Goldman, 1983, Nitrogen removal in artificial wetlands. Water Resources 17(9): 1009-1014.

Gersberg, R.M., et. al. , 1983, Nitrogen removal in artificial wetlands. Water Res. Vol 17(9), pp1009-1014.

Gilley, J.E., Kottwitz, E.R., 1994, Maximum surface storage provided by crop residue. Journal of Irrigation and Drainage Engineering v120 no.2 Mar/Apr p.440-449

Gilliam, J.W., et.al., 1988, Effects of pumped agricultural drainage water on wetland water quality. In: Hook, D.D., et.al. (eds.) The Ecology and Management of Wetlands, Volume 2, Timber Press, Portland, OR, pp. 275-283.

Gkaffarzadeh, M., 1992, Vegetation filter strip effects on sediment deposition from overland flow. Agronomy Abstracts. p. 342.

Good, R.E., Whigham, D.F., and Simpson, L. 1978. Freshwater Wetlands, Ecological Processes and Management Potential. Academic Press, New York.

Gopal, B., Mitsch, W.J., 1995, The role of vegetation in creating and restoring wetlands- An international perspective. Ecological Engineering 5:1 Oct.

Griffin, D.M., 1980, Efficient design of stormwater holding basins used for water quality protection. Water Resources 14(10) p.1549-1554.

Grue, C.E., et al., 1986, Potential Impacts of agricultural chemicals on waterfowl and other wildlife. Trans. North American Wildlife National Resources Conference, 51:357-383.

Hammer Donald A., 1992, Lewis Publ., Creating Freshwater Wetlands

Hammer, D.A., 1992, Designing constructed wetlands to treat agricultural NPS pollution. Ecological Engineering 1(1992) 49-82.

He, C., Riggs, J.F., 1993, Integration of GIS and model to evaluate NPS agric. pollution. Water Resources Bull. v29 #6 p.891-900.

Hey, D.L., Philippi, N.S., 1995, Flood reduction through wetland restoration: The Upper Mississippi River Basin as a case history-Response. Restoration Ecology 3:4 Dec.

Hickok, E.A., Hannaman, M.C., and Wenck, N.C. 1977. Urban Runoff Methods. Vol. I. Non-structural Wetland Treatment. USEPA. EPA-600/2-77-217.

Higgins, M., 1991, The use of Constructed wetlands in treating Agric. runoff: 1990 Data Summary report. Dept. of Civil Engineering, U of ME, Orono, ME.

Hill, R.D., 1976, Sedimentation Ponds - A Critical review. In: Proceedings, 6th Symposium on Coal Mine drainage research, Louisville, KY.

Hook, D.D., et.al. (eds.), 1988, The Ecology and Management of Wetlands Volume I, Timber Press, OR, pp. 98-111.

Horn, A.J., 1995, Nitrogen removal from waste treatment pond or activated sludge plant effluents with free-surface wetlands. Water Science and Technology 31:12

Howard -Williams, C., 1985, Cycling and retention of nitrogen and phosphorus in wetlands: a theoretical and applied perspective. Freshwater Biology 15:391.

Hubbard R.K., 1992, Solute transport through a riparian forest buffer system. Agronomy Abstracts. p. 43-44.

Hunt, R.J., Krabbenholf, D.P., Anderson, M.P., 1996, Groundwater inflow measurements in wetland systems. Water Resources Research 32:3 Mar.

Iverson, T.M., 1993, Reestablishment of Danish streams: Restoration and Maint. Measures/Aquatic Conservation Management. Freshwater ecosystem, 3:73-92.

Jarman, N. M., et al., 1991, Evaluation of created freshwater wetlands in MA, Restoration and Management Notes 9:26-29.

Johnson A.W., 1992, A Literature review of recommended buffer widths to maintain stream function in riparian areas. King Co. Water Mgmt. Div., Seattle, WA.

Johnston, C.A., 1991, Sediment and nutrient retention by freshwater wetlands: Effects on Surface water quality. Critical review in Environmental Control 21(5,6) 491-565.

Johnston, C.A., et.al., 1990, The cumulative effect of wetlands on streamwater quality, a landscape approach. Biogeochemistry 10: 105-141.

Jolley, J.W., 1990, The efficiency of constructed wetlands-pond systems in the reduction of sediment and nutrient discharges from agric. watersheds.

M.S. Thesis, Dept. of Civil Engineering, U of ME.

Jones, R.A., Lee, G.F., 1980, An approach for the evaluation of efficiency of wetlands - based P control programs for eutrophic

Jones, W.W. 1996. Design features of constructed wetlands for nonpoint source treatment. Lakeline, N. Am. Lake Manage. Soc. 16(3):14-15,52-53.

Jordan, T.E., et al, 1993, Nutrient interception by a reparation forest recieving inputs from adjacent cropland. Journal of Environmental Quality v22(3) Jul/Sep 467-473.

Kadlec R.H., 1992, Sediment Processes in wetlands. Agronomy Abstracts. p.45.

- Kadlec, R.H., 1992, The use of residence time distribution in wetland systems, In: Ecosystem Studies of The Des Plains River Experimental Wetlands, Report to the EPA by Wetlands Research Inc., Chicago, IL.
- Kadlec, R.H., 1995, Overview: Surface flow constructed wetlands. Water Science and Technology 32:3
- Kalkhoff, S.J., 1995, Relation between stream water quality and geohydrology during base-flow conditions, Robert Creek watershed, Clayton County, Iowa. Water Resources Bulletin 31:4 Aug.
- Kent Donald M. (ed.), 1994, Lewis Publ., Applied Wetlands Science and Technology
- Kettle, W.D., and F. deNoyelles Jr., 1990, Determination of herbicide induced alteration in aquatic habitat in Kansas, Kansas Water Resources Research Institute Publ. No. 272, prepared for the USGS.
- Krider, J. N., SCS Tech. requirements for constructed wetlands for agric. wastewater treatment. American Soc. Agric. Eng. winter 92.
- Kusler, J., Kentula, M.E., 1990, Wetlands Creation and Restoration: The status of the Science. Island Press, Washington D.C.
- Kusler, J.A., Kentula, M.E. (Eds), 1990, Wetland Creation and Restoration: The Status of the Science. Island Press, Washington D.C. p.591
- Lee, G.F., and Jones, R.A. 1990. Suggested Approach for Assessing Water Quality Impacts of Urban Stormwater Drainage. Presented at Symposium on Urban Hydrology and Drainage Issues at the 26th Annual American Water Resources Association Conference and Symposia, Denver, Colorado, November 1990.
- Lena, B.M., 1993, Nutrient retention in riparian ecosystems. Ambio v23 #6.
- Loehr, R.C., 1984, Pollution Control for Agriculture. Academic Press, Orlando, FL.
- Loucks, O. L., 19??, Restoration of the Pulse Control Function of wetlands and it's relationship to water quality objectives. In: Wetland Creation and Restoration ??
- Lovely, D.R., 1992, Anaerobic Oxidation of aromatic organics with FeIII sulfate. Agronomy Abstracts. p.47.
- Lowrance R.R., 1983, Waterborne nutrient budgets for the riparian zone of an agric. watershed. Agric. Ecosystem Environ., 3:73-92.
- Magette, W.L., et al., 1989, Nutrient and sediment removal by vegetated filter strips. Trans. American Society of Agricultural Engineers 32(2)663-667.

- Marble, Anne D., 1992, Lewis Publ., A Guide to Wetland Function Design.
- McBurnie, J.C., 1990, Maryland sediment detention ponds design criteria and performance. Appl. Eng. Agric. 6(2): 167-173.
- McEnroe, B.M., 1992, Prelim. sizing of detention reservoirs to reduce peak discharges. Journal of Hydraulic Engineering. v118 n011 (nov) 1540-49.
- Mcjannet, C.L., Keddy, P.A., Pick, F.R., 1995, Nitrogen and Phosphorus tissue concentrations in 41 wetland plants-a comparison across habitats and functional groups. Functional Ecology 9:2 Apr.
- Meyer, J.L., 1985, A Detention basin/Artificial wetland treatment system to renovate stormwater runoff from urban highway and industrial areas. Wetlands 5:135-145.
- Mielke, L.N., 1985, Performance of water and sediment control basins in northeastern Nebraska. Journal of Soil and Water Conservation. Nov/Dec. pp. 524-528.
- Milburn, P., Leger, D.A., Oneill, H., Macquarrie, K., Richards, J.E., 1995, Point and nonpoint source leaching of atrazine from a corn field: Effects on tile drainage water quality. Canadian Agricultural Engineering a37:4 Oct-Dec.
- Mitsch, W.J., Cronk, J.K., 1992, Creation and Restoration of wetlands : Some design considerations for ecological engineering. Adv. in Soil Science. v 17 p.217-259.
- Mitsch, W.J., Cronk, J.K., et al., 1995, Phosphorous retention in constructed freshwater riparian marshes. Ecological Applications (in Press).
- Mitsch, W.J., Cronk, J.K., Wu, X.Y., et al., 1995, Phosphorus retention in constructed freshwater riparian marshes. Ecological Applications 5:3 Aug.
- Mitsch, W.J., Wilson, R.F., 1996, Improving the success of wetland creation and restoration with know-how, time, and self-design. Ecological Applications 6:1 Feb.
- Morgan, M.D., 1995, Modeling excess sulfur deposition on wetland soils using stable sulfur isotopes. Water Air and Soil Pollution 79:1-4 Jan.
- Moshiri, Gerald A., 1993, Lewis Publ., Constructed Wetlands for Water Quality Improvement
- Mostaghimi, S., et al, 1992, Effects of sludge and chemical fertilizer on runoff water quality. Water Resources Bulletin AWRA May/June v28 545-552.

- Mungur, A.S., Shutes, R.B.E., Revitt, D.M., House, M.A., 1995, An assessment of metal removal from highway runoff by a natural wetland. *Water Science and Technology* 32:3
- Muscutt, A.D., Harris, G.L., 1993, Buffer zones to improve water quality:
A review for their potential use in U.K. Agr., *Agric.Ecosystem Environ.*, 45:59-77.
- Newcombe, C.P., MacDonald, 1991, Effects of suspended solids on agric. ecosystems. *North American Journal of Fisheries Mgmt.* 11(1):72-82.
- Nichols, A.B., 1991 Constructed wetlands: a key to riparian restoration. *Water Environment and Technology* v3 Oct p.6
- Nichols, A.B., 1992, Restoring Wetlands on farmland. *Water, Env. and Tech.* v4 (June 92) p. 18..
- Niswander, S.F., Mitsch, W.J., 1995, Functional analysis of a two-year-old created instream wetland: Hydrology, phosphorus retention, and vegetation survival and growth. *Wetlands* 15:3 Sep.
- Nixon, S.W., Lee, V., 1986, Wetlands and Water Quality: A regional review of recent research. Army Corps of Engineers Water Experimental Station, Vicksburg, Mississippi. Technical Report Y-86-2. p.189
- Ogawa, H., Male, J.W., 1983, The flood mitigation potential of inland wetlands. University of Mass., Amherst Water Resources Center Publication no. 138, p.164.
- Ogawa, H., Male, J.W., 1986, Simulation of the flood mitigation role of wetlands. *Journal of Water Resource Planning and Management* 112:114-128.
- Olson R.K. (ed), 1992, The Role of created and natural wetlands in controlling NPS pollution. *Ecological Engineering.* 1:1-170.
- Olson Richard K., 1993, C.K.Smoley, Boca Raton, Fl., Created and Natural Wetlands for Controlling Nonpoint Source Pollution
- Osborn, L.L., Kovacic, D.A., 1993, Riparian vegetated buffer strips in water-quality restoration and stream management. *Freshwater Biology* 29 p.243-258.
- Peeverly, J.H., Surface, J.M., Wahg, T.G., 1995, Growth and trace metal absorption by *Phragmites australis* in wetlands constructed for landfill leachate treatment. *Ecological Engineering* 5:1 Oct.
- Phillips, D.L., NPS pollution impacts of Alternative mgmt. practices in IL. *Journal of Soil and water Conservation.* v 48 p. 449-457 and v 46 p.174-177.

- Prato T., Shi H., 1990, A comparison of erosion and water pollution control strategies for an agricultural watershed. *Water Resources Res.* 26:199-205.
- Preston, E.M., and Bedford, 1988, Evaluating cumulative effects on wetland functions: a conceptual overview and generic framework. *Environmental Management*, 12(5): 565-586.
- Raisin, G.W., Mitchell, D.S., 1995, The use of wetlands for the control of nonpoint source pollution. *Water Science and Technology* 32:3
- Reddy, K.R., 1982, Water treatment by aquatic ecosystems: Nutrient removal by reservoirs and flooded fields. *Environ. Mgmt.* 6:261.
- Reddy, K.R., 1992, Soil Reductive processes in wetlands: Role of oxidation of organic matter- a review. *Agronomy Abstracts.* p55.
- Reddy, K.R., Debusk, T.A., 1987, State of the Art Utilization of Aquatic plants in water pollution control. *Water Science Technology* v18(10):61-79.
- Reddy, K.R., Diaz, O.A., Scinto, L.J., Agami, M., 1995, Phosphorus dynamics in selected wetlands and streams of the lake Okeechobee Basin. *Ecological Engineering* 5:2-3 Nov.
- Reddy, K.R., Smith, W.H., 1987, *Aquatic plants for wastewater treatment and resource recovery.* Magnolia Publishers, Orlando, Fl.
- Reddy, K.R., W.F. Debusk, 1985, Nutrient removal potential of selected aquatic macrophytes. *Journal of Environmental Quality*, Vol. 14(4): 459-462.
- Reinartz, J.A., Woune, E.L., 1993, Development of vegetation in small created wetlands in S.E. Wisconsin. *Wetlands* 13:153-164.
- Reinert, K.H., Rogers Jr. J.R., 1987, Fate and persistence of aquatic herbicides. *Review of Environmental Contaminant Toxicology* 98:61-98.
- Reuter, J.E., Djohan, T. and Goldman, C.R. 1992. The Use of Wetlands for Nutrient Removal from Surface Runoff in a Cold Climate Region of California- Results from a Newly Constructed Wetland at Lake Tahoe. In *J. Env. Manage.* 36: 35-53.
- Ribando, M.O., 1992, Options for agricultural NPS pollution control. *Journal of Soil Water Conservation.* 47:42-46.
- Richardson, C., 1985, Mechanisms controlling phosphorus retention capacity in freshwater wetlands. *Science* 228:1424-1428
- Richardson, C.J., 1989, Wetlands as transformers, filters, and sinks for nutrients. In *Freshwater Wetlands: Perspectives on natural, managed and degraded ecosystems.* U of Georgia, Savannah River Ecology Lab, 9th Symposium, Charleston, NC.

Richardson, C.J., Vaithiyathan, P., 1995, Phosphorus sorption characteristics of everglades soils along a eutrophication gradient. Soil Science Society of America Journal 59:6 Nov-Dec.

Ro, K.S., Chung, K.M., 1995, Atrazine biotransformation in wetland sediment under different nutrient conditions. Journal of Environmental Science and Health Part A-Environmental Science and Engineering and Toxic and Hazardous Substance Control 30:7

Rogers, J.H., 1987, Bioavailability of sediment-bound chemicals to aquatic organisms - theory, research and needs. In: Fate and effects of sediment-bound chemicals in aquatic systems. Pergamon Press, Elmsford, NY. pp. 245-266.

Rogers, J.H., et al., 1987, Bioavailability of sediment-bound chemicals to aquatic organisms_ some theory, evidence and research needs. IN: K.L.Dickson et al. (Eds) Fate and Effects of Sediment Bound Chemicals in Aquatic Systems. Pergamon Press p.245-266.

Rose, C.W., Dickinson, W.T., et al, 1990, Agricultural nonpoint source runoff and sediment yield water quality models: Modeler's perspective. In D.G.Decoursey (ed) Proc. of Int Supm. on Water Quality Modeling of Agricultural Nonpoint Sources, Logan, UT 19-23 June 1988. ARS-81 USDA-ARS, Washington D.C.

Sanville, W., Mitsch, W.J. (eds), 1994, Creating freshwater marshes in a riparian landscape: Research at the Des Plaines River Wetlands Demonstration Project. Ecological Engineering 3:315-521.

Saxon, S.L., Dye, C.W., 1995, A simple, inexpensive peak water-level gauge. Hydrobiologia 315:3 Nov 24.

Scaggs, R.W., 1994, Hydrologic and water quality impacts of agric. drainage. Critical reviews in Conservation Science and Tech. v24 #1 pp.1-32.

Scaggs, R.W., et.al., 1994, Characterization and evaluation of proposed hydrologic criteria for wetlands. Journal of Soil and Water Conservation 49(5):501-510.

Schneller-McDonald, K., et al., 1990, Wetland Creation and Restoration: A description and summary of the Literature. U.S. FWS Biological Report 90(3).

Schottler, S.P., and S.A. Eisenreich, 1994, Atrazine alachlor, and cyanazine in a large agricultural river system. Environmental Science and Technology 28:1079-1089.

Soil Conservation Service, 1989, Wetland development or restoration, National Practice Std. National List of Conservation Practices, Washington D.C. USDA, SCS 690:1

SCS/USDA, 1986, Urban hydrology for small water sheds. Tech release #55.

Soil Conservation Service, 1992, Wetland Restoration, enhancement, or creation. Engineering Field Handbook, Chapter 13. Washington D.C. USDA,SCS. 79p.

Sidle, R.C., et.al., 1976, Heavy metals application and plant uptake in land disposal systems for wastewater. Journal of Environmental Quality, 15(1): 97-102.

Smith L.G., et.al., 1993, Implementing sustainability: the use of natural channel design and artificial wetlands for stormwater management. Journal of Environmental Management, Vol 37(4): 241-257.

Smith, S.J., 1993, Agricultural chemical discharge in surface water runoff. Journal of Environmental Quality v22(3) Jul/Sep. 474-480.

Soil Pollution v31:101-114.

Sorensen, D.L., McCarthy M.M. et al., 1977. Suspended and dissolved solids effects on freshwater biota: review. USEPA Ecological Research Series EPA-600/3-77-042.

Stall, J.B., 1985, Upland erosion and downstream sediment delivery. Soil Erosion and Conservation, Soil Conservation Society of America. 200-205.

Steiner, R., and J.T., Watson, 1993, General design, construction, and operation guidelines: constructed wetlands wastewater treatment systems for small users including individual residences. Published by TVA Resources Group.

Stockdale, E.C., 1991, Freshwater wetlands , urban stormwater and nonpoint source pollution control: A literature review and annotated bibliography. Washington State Dept. of Ecology.

Straskrabova, V., 1993, Degredation of organic substances in reservoirs. Water Science Tech. v28 #6 p95-104.

Strecker, E.W., Kersnar, J.M., Driscoll, E.D., and Horner, R.R. 1992. The Use of Wetlands for Controlling Stormwater Pollution. Technical Advisor: Thomas E. Davenport, U.S. EPA, Region V. The Terrene Institute. iv, 66p.

Tanner, C.C., Sukias, J.P., 1995, Accumulation of organic solids in gravel-bed constructed wetlands. Water Science and Technology 32:3

Taylor, M.E., & Associates. 1992. Constructed Wetlands for Stormwater Management: A Review: Ontario Ministry of Environment and Energy. 52p.

Thomas, P.R., Glover, P. Kalaroopan, T., 1995, An evaluation of pollutant removal from secondary treated sewage effluent using a constructed wetland system. Water Science and Technology 32:3

Tim, U.S., Jolly, R., 1994, Evaluating Agric. NPS pollution using GIS and Hydro models. *Journal of Environmental Quality*, v23 #1 p. 25-35.

Urbonas, B., and Ruzzo, W.P. 1985. Standardization of Detention Pond Design for Phosphorus Removal. In *Procs. NATO Advanced Research Workshop, France, Aug. 1985. NATO ASI Series, Vol. G10. Springer-Verlag. 1986.*

U.S. Army Corps of Engineers, 1986, *Wetlands and Water Quality: A regional review of recent research in U.S. on role of freshwater and saltwater wetlands as sources, sinks and transformers of N., P. and various heavy metals. Waterways Experiment Station, Vicksburg Mississippi.*

U.S. EPA Office of Research and Development, 1989, *Wetland Creation and Restoration: The Status of the Science*
v1 (EPA 600/3-89/038a) and v2 (EPA 600/3-89/0386) Oct.

U.S. EPA Office of Water Regulations and Standards, 1987, *Nonpoint Source Guidance. Dec.*

USDA, 1995, *Nutrient and Sediment Control System, USDA/NNTC, Chester, PA.*

USDA/SCS, 1991, *USDA/SCS, Orono, Me., Nutrient/Sediment Control System (Interim STDS and Specifications)*

USEPA and USDA Forest Service, 1992, *Proceedings of Tech workshop of Sediments. Corvallis, OR.*

USEPA, 1989, *Nonpoint Sources: Agenda for the Future. WH-556. USEPA, Office of Water Regulations. Washington D.C. p. 31*

USEPA, 1990, *National Guidance: Wetlands and NPS Control Programs. USEPA, Office of Water Regulations and Standards and Office of Wetland Protection. Washington D.C.*

Vandervalk, A.G., et al., 1983, *The response of plant species to burial in three types of Alaskan wetlands. Canadian Journal of Botany 61:1150-1164.*

Van der Valk, R., and R.W. Jolley, 1992, *Recommendations for research to develop guidelines for use of wetlands to control rural nonpoint source pollution. Ecological Engineering Vol.1: 115-134.*

Van Schilfgaarde, J., 1986, *Agriculture, irrigation and water quality. In: Toxic substances in agricultural water supply and drainage, Defining the Problems. Summers, J.B. and Anderson, S.S. (eds) USCID.*

Vandernalk, A.G. (Ed), 1989, *Northern Prairie Wetlands, Iowa State University Press, Ames, Iowa,*

Verry, E.S., 1982, Water quality and nutrient dynamics in shallow water impoundments. In Water impoundments for wildlife: A habitat management workshop, North Central Forest Experiment Station MN. Sep. 1-2 p.61-71.

Verry, E.S., and Timmons, D.R. 1982. Waterborne Nutrient Flow through an Upland-Peatland Watershed in Minnesota. In Ecology. 63(5): 1456-1467.

Verry, G.S., 1983, Selection of water impoundment sites in the lake states. In: Water Impoundments for wildlife: a Habitat workshop. USDA Forest Service General Tech. Report. NC-100.

Vohs, P.A., 1993, A critical review of effects of turbidity on aquatic organisms in large rivers. USFWS Env. Mgmt Tech Center Report 93-5002 139p.

Walker, W.W. 1987. Phosphorus Removal by Urban Runoff Detention Basins. In Lake and Reserv. Manage. N. Am. Lake Manage. Soc. 3: 314-326.

Wallach, R., 1991, Runoff contamination by soil chemicals: a time scale approach. Water Resources Research 27:215-223.

Watson, J.T., Reed, S.C., et al., 1988, Performance expectations and loading rates for constructed wetlands. Journal ? June 13-17 Chattanooga, TN.

Wauchope, R.D., 1978, The Pesticide Content of surface water draining from agric. fields : a review. Journal of Environmental Quality. 459-472.

Whipple, W.JR., 1979, Dual Purpose detention basins. Journal of Water Resources Planning and Mgmt Di v., ASCE 105(2) 403-412.

Whitaker, G., Terrell, C.R., 1992, Federal Programs for Wetland restoration and use of wetlands for NPS pollution control. Ecological Engineering 1:157-170.

Wilcox, D.A., 1995, Wetland and aquatic macrophytes as indicators of anthropogenic hydrologic disturbance. Natural Areas Journal 15:3 Jul.

Willard, D.E., 19??, Creartion and Restoration of riparian wetlands in the agricultural midwest. In: Wetland Creation and Restoration ??

Willenbring, P.R. and W.D. Weidenbacher, 1985, The use of wetlands in treating NPS pollution. EPA report EPA 440-5-85-001.

Wilson, B.N., 1984, A Sediment Detention pond model using CSTRS mixing theory. Transactions of the ASAE v27 p. 1339-44 Sept/Oct 84.

Wilson, B.N., et al., 1986, Simple models to evaluate NPS pollution: model selection and application. Giorgini and Singales Eds. p.231-263. Gisevier Publishers.

Wolf, A.T., 1995, Rural nonpoint source pollution control in Wisconsin: The limits of a voluntary program? *Water Resources Bulletin* 31:6 Dec.

Wolf, R.B., et al., 1986, Wetland Creation and restoration in the U.S. from 1970-1985, an annotated bibliography. *Wetlands*, v6 no.1.

Yin, C.Q., Lan, Z.W., 1995, The nutrient retention by ecotone wetlands and their modification for Baiyangdian Lake restoration. *Water Science and Technology* 32:3

Zogg, G.P., Branes, B.V., 1995, Ecological classification and analysis of wetland ecosystems, northern Lower Michigan, USA. *Canadian Journal of Forest Research* 25:11 Nov.